

## Product Specification

Product class: LED Streetlight

Item No.: DK4W-LD

Material: PC

Certification: RoHS


Set Up:Xuan Yang

Check:Xiaohui Liang


## Content

Specification-----	3
2D Drawing-----	4
Optical Datasheet-----	5
Packing Details-----	6
Application Notes-----	7

## Specification

Item No	Picture	Size	Matched LED	Lighting Application
DK4W-LD		<b>Diameter: <math>\Phi 50</math></b> <b>Height: 5.9mm</b> <b>FWHM: 135*55°</b>	<b>3535</b>	<b>Streetlight</b>

## Drawing



## Optical test report

### 产品特征

灯具种类:

电压: 0.0 V

功率: 0.00 W

电流: 0.000 A

功率因数: 0.000

### 光度结果

灯具CIE分类: 直接型

灯具光通量: 286.9 lm

下射光通量比: 100%

水平扩散角(25%, 50%, 75%, 100%): H157.1, H152.9, H150.2, H141

垂直扩散角(25%, 50%, 75%, 100%): V70.3, V58.9, V47.4, V29

灯具光效等级(LER): 287

峰值光强: 141.14 cd

额定光通量: 286.9 lm

灯具效率: 100%

上射光通量比: 0%


中心光强: 69.62 cd

峰值光强位置: H180 V69

灯具实物照片



配光曲线





平均光束角(50%): 105.9°

— C0-C180

— C90-C270


G69

配光曲线



## Packing Details

Packing Material	Packing Materil size	Packing Specification
White paper	A4	54layers/inner carton 4 inner box / 1 outer box
Pearl wool	315*240mm	
White paperboard	A level; 400g; 310*230mm	
Inner box	320*245*115mm	
Outer box	A=B 505*330*255/mm	



## Application Notes

(1) Please use a little water and soft fabric (air-laid paper) to clean the lens & reflector if necessary.

(2) Forbid to use industrial solvent to clean the lens, such as alcohol.

(3) The working temperature is  $-35^{\circ}\text{C}\sim+120^{\circ}\text{C}$ .

(4) Storage environment temperature is  $0^{\circ}\text{C}\sim40^{\circ}\text{C}$ , humidity is 30%~95%。

Optic Lens has the function to change the ray of light, it is made of optical material, the effect shall be influenced once pollute. Please do not open the packing before use it, to avoid the dust pollution.

(5) Protect the product from the sun and other ultraviolet ray, as these will lead to aging, change color, crack, etc.

(6) Please wear gloves once install the lens, avoid to abrasion the lens surface.

(7) Forbid to use acidic or alkaline solution touch the product, avoid to generate the chemical reactions.